

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 1.5"</b>						
<b>Automatic</b> Mag 3/8" w/ 10' Harness	1.5"	Auto / Auto or Manual	Electric	C50321A-10	6325 / 6452	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	1.5"	Auto / Auto or Manual	Electric	C50321A-J10	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	1.5"	Auto / Auto or Manual	Electric	C50321A-R	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	1.5"	Auto / Auto or Manual	Electric	C50321A-R10	6325 / 6452	PH3
<b>Manual</b> 5' Harness - 12 & 24 VDC	1.5"	Manual / Auto	Electric	C50321T	6481	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	1.5"	Manual / Auto	Electric	C50321T-10	6481	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	1.5"	Manual / Auto	Electric	C50321T-15	6481	PH3
<b>Universal 1.75"</b>						
<b>Any Commerical Truck</b>	1.75"	Manual / Manual	Pull Cable*	C50148	6390	PH1
<b>Automatic</b> Mag 3/8" w/ 5' Harness	1.75"	Auto / Auto or Manual	Electric	C50224A	6325 / 6452	PH3
<b>Automatic</b> Mag 3/8" w/ 10' Harness	1.75"	Auto / Auto or Manual	Electric	C50224A-10	6325 / 6452	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	1.75"	Auto / Auto or Manual	Electric	C50224A-J10	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	1.75"	Auto / Auto or Manual	Electric	C50224A-R	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	1.75"	Auto / Auto or Manual	Electric	C50224A-R10	6325 / 6452	PH3
<b>Manual</b> 5' Harness - 12 & 24 VDC	1.75"	Manual / Auto	Electric	C50224T	6481	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	1.75"	Manual / Auto	Electric	C50224T-10	6481	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	1.75"	Manual / Auto	Electric	C50224T-15	6481	PH3
<b>Automatic Generic 12 VDC</b>	1.75"	Auto / Manual	Electric	C50290A-12	6447 / 6448	PH5
<b>Automatic Generic 24 VDC</b>	1.75"	Auto / Manual	Electric	C50290A-24	6447 / 6448	PH5
<b>Manual Generic 12 VDC</b>	1.75"	Manual / Manual	Electric	C50290-12	6447 / 6448	PH5
<b>Manual Generic 24 VDC</b>	1.75"	Manual / Manual	Electric	C50290-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See ACCESSORIES section (on last page) to add correct sizes for specific applications.



AFTERMARKET BY  
**PACBRAKE**

**USA** 1670 Grant Ave, Blaine, WA 98230 • 800.663.0096 / pacbrake.com  
**CANADA** 19594 96 Ave, Surrey, BC V4N 4C3 • **EMAIL** info@pacbrake.com • **FAX** 604.882.9278



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 2.0"</b>						
<b>Any Commerical Truck</b>	2.0"	Manual / Manual	Pull Cable*	<b>C50145</b>	6390	<b>PH1</b>
<b>Automatic</b> Mag 3/8" w/ 5' Harness	2.0"	Auto / Auto or Manual	Electric	<b>C50225A</b>	6325 / 6452	<b>PH3</b>
<b>Automatic</b> Mag 3/8" w/ 10' Harness	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-10</b>	6325 / 6452	<b>PH3</b>
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-J10</b>	6325 / 6452	<b>PH3</b>
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-R</b>	6325 / 6452	<b>PH3</b>
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-R10</b>	6325 / 6452	<b>PH3</b>
<b>Manual</b> 5' Harness - 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T</b>	6481	<b>PH3</b>
<b>Manual</b> 10' Harness - 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T-10</b>	6481	<b>PH3</b>
<b>Manual</b> 15' Harness - 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T-15</b>	6481	<b>PH3</b>
<b>Automatic Generic 12 VDC</b>	2.0"	Auto / Manual	Electric	<b>C50291A-12</b>	6447 / 6448	<b>PH5</b>
<b>Automatic Generic 24 VDC</b>	2.0"	Auto / Manual	Electric	<b>C50291A-24</b>	6447 / 6448	<b>PH5</b>
<b>Manual Generic 12 VDC</b>	2.0"	Manual/Manual	Electric	<b>C50291-12</b>	6447 / 6448	<b>PH5</b>
<b>Manual Generic 24 VDC</b>	2.0"	Manual/Manual	Electric	<b>C50291-24</b>	6447 / 6448	<b>PH5</b>

<b>Universal 2.25"</b>						
<b>Any Commerical Truck</b>	2.25"	Manual / Manual	Pull Cable*	<b>C50146</b>	6390	<b>PH1</b>
<b>Automatic</b> Mag 3/8" w/ 5' Harness	2.25"	Auto / Auto or Manual	Electric	<b>C50252A</b>	6325 / 6452	<b>PH3</b>
<b>Automatic</b> Mag 3/8" w/ 10' Harness	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-10</b>	6325 / 6452	<b>PH3</b>
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-J10</b>	6325 / 6452	<b>PH3</b>
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-R</b>	6325 / 6452	<b>PH3</b>
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-R10</b>	6325 / 6452	<b>PH3</b>
<b>Manual</b> 5' Harness - 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T</b>	6481	<b>PH3</b>
<b>Manual</b> 10' Harness - 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T-10</b>	6481	<b>PH3</b>
<b>Manual</b> 15' Harness - 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T-15</b>	6481	<b>PH3</b>
<b>Automatic Generic 12 VDC</b>	2.25"	Auto / Manual	Electric	<b>C50292A-12</b>	6447 / 6448	<b>PH5</b>
<b>Automatic Generic 24 VDC</b>	2.25"	Auto / Manual	Electric	<b>C50292A-24</b>	6447 / 6448	<b>PH5</b>
<b>Manual Generic 12 VDC</b>	2.25"	Manual/Manual	Electric	<b>C50292-12</b>	6447 / 6448	<b>PH5</b>
<b>Manual Generic 24 VDC</b>	2.25"	Manual/Manual	Electric	<b>C50292-24</b>	6447 / 6448	<b>PH5</b>

*\*Note: A mounting group & pull cable are not included. See ACCESSORIES section (on last page) to add correct sizes for specific applications.*



AFTERMARKET BY  
**PACBRAKE**

**USA** 1670 Grant Ave, Blaine, WA 98230 • **800.663.0096 / pacbrake.com**     
**CANADA** 19594 96 Ave, Surrey, BC V4N 4C3 • **EMAIL** info@pacbrake.com • **FAX** 604.882.9278

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 2.5"</b>						
<b>Any Commerical Truck</b>	2.5"	Manual / Manual	Pull Cable*	C50147	6390	PH1
<b>Automatic</b> Mag 3/8" w/ 5' Harness	2.5"	Auto / Auto or Manual	Electric	C50243A	6325 / 6452	PH3
<b>Automatic</b> Mag 3/8" w/ 10' Harness	2.5"	Auto / Auto or Manual	Electric	C50243A-10	6325 / 6452	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	2.5"	Auto / Auto or Manual	Electric	C50243A-J10	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	2.5"	Auto / Auto or Manual	Electric	C50243A-R	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	2.5"	Auto / Auto or Manual	Electric	C50243A-R10	6325 / 6452	PH3
<b>Manual</b> 5' Harness - 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T	6481	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T-10	6481	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T-15	6481	PH3
<b>Automatic Generic 12 VDC</b>	2.5"	Auto / Manual	Electric	C50293A-12	6447 / 6448	PH5
<b>Automatic Generic 24 VDC</b>	2.5"	Auto / Manual	Electric	C50293A-24	6447 / 6448	PH5
<b>Manual Generic 12 VDC</b>	2.5"	Manual / Manual	Electric	C50293-12	6447 / 6448	PH5
<b>Manual Generic 24 VDC</b>	2.5"	Manual / Manual	Electric	C50293-24	6447 / 6448	PH5

<b>Universal 2.75"</b>						
<b>Automatic</b> Mag 3/8" w/ 5' Harness	2.75"	Auto / Auto or Manual	Electric	C50244A	6325 / 6452	PH3
<b>Automatic</b> Mag 3/8" w/ 10' Harness	2.75"	Auto / Auto or Manual	Electric	C50244A-10	6325 / 6452	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper w/ 10' Harness	2.75"	Auto / Auto or Manual	Electric	C50244A-J10	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	2.75"	Auto / Auto or Manual	Electric	C50244A-R	6325 / 6452	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	2.75"	Auto / Auto or Manual	Electric	C50244A-R10	6325 / 6452	PH3
<b>Manual</b> 5' Harness - 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T	6481	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T-10	6481	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T-15	6481	PH3
<b>Automatic Generic 12 VDC</b>	2.75"	Auto / Manual	Electric	C50294A-12	6447 / 6448	PH5
<b>Automatic Generic 24 VDC</b>	2.75"	Auto / Manual	Electric	C50294A-24	6447 / 6448	PH5
<b>Manual Generic 12 VDC</b>	2.75"	Manual / Manual	Electric	C50294-12	6447 / 6448	PH5
<b>Manual Generic 24 VDC</b>	2.75"	Manual / Manual	Electric	C50294-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See ACCESSORIES section (on last page) to add correct sizes for specific applications.



AFTERMARKET BY  
**PACBRAKE**

**USA**  
**CANADA**

1670 Grant Ave, Blaine, WA 98230 • 800.663.0096 / pacbrake.com

19594 96 Ave, Surrey, BC V4N 4C3 • EMAIL info@pacbrake.com • FAX 604.882.9278



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 3.0"</b>						
Any Commercial Truck	3.0"	Manual / Manual	Electric	C50218	6274	PH2
Any Commercial Truck 24 VDC	3.0"	Manual / Manual	Electric	C50218-24	6274	PH2
Any Commercial Truck	3.0"	Auto / Manual	Electric	C50218A	6275	PH2
Any Commercial Truck 24 VDC	3.0"	Auto / Manual	Electric	C50218A-24	6275	PH2
Automatic Mag 3/4" w/ 5' Harness	3.0"	Auto / Auto or Manual	Electric	C50226A	6325 / 6452	PH3
Automatic Mag 3/4" w/ 10' Harness	3.0"	Auto / Auto or Manual	Electric	C50226A-10	6325 / 6452	PH3
Automatic Cummins Crank Position Wire T-Jumper w/ 10' Harness	3.0"	Auto / Auto or Manual	Electric	C50226A-J10	6325 / 6452	PH3
Automatic – R Terminal R Terminal w/ 5' Harness	3.0"	Auto / Auto or Manual	Electric	C50226A-R	6325 / 6452	PH3
Automatic – R Terminal R Terminal w/ 10' Harness	3.0"	Auto / Auto or Manual	Electric	C50226A-R10	6325 / 6452	PH3
Manual 5' Harness - 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T	6481	PH3
Manual 10' Harness - 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T-10	6481	PH3
Manual 15' Harness - 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T-15	6481	PH3
Automatic Generic 12 VDC	3.0"	Auto / Manual	Electric	C50295A-12	6447 / 6448	PH5
Automatic Generic 24 VDC	3.0"	Auto / Manual	Electric	C50295A-24	6447 / 6448	PH5
Manual Generic 12 VDC	3.0"	Manual / Manual	Electric	C50295-12	6447 / 6448	PH5
Manual Generic 24 VDC	3.0"	Manual / Manual	Electric	C50295-24	6447 / 6448	PH5

<b>Universal 3.5"</b>						
Any Commercial Truck	3.5"	Manual / Manual	Electric	C50217	6274	PH2
Any Commercial Truck	3.5"	Auto / Manual	Electric	C50217A	6275	PH2
Automatic Mag 3/4" w/ 5' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A	6492 / 6493	PH3
Automatic Mag 3/4" w/ 10' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A-10	6492 / 6493	PH3
Automatic Cummins Crank Position Wire T-Jumper Up to & Including 2018 w/ Apex Connector <sup>†</sup> w/ 10' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A-J10	6492 / 6493	PH3
Automatic Cummins Crank Position Wire T-Jumper 2018 + w/ MCON 1.2 Connector <sup>†</sup> w/ 10' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A-2J10	6492 / 6493	PH3
Automatic – R Terminal R Terminal w/ 5' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A-R	6492 / 6493	PH3
Automatic – R Terminal R Terminal w/ 10' Harness	3.5"	Auto / Auto or Manual	Electric	C60256A-R10	6492 / 6493	PH3



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 3.5" (CONTINUED)</b>						
<b>Manual</b> 5' Harness - 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T	6495	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-10	6495	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-15	6495	PH3
<b>Manual</b> 20' Harness - 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-20	6495	PH3
<b>Automatic Generic</b> 12 VDC	3.5"	Auto / Manual	Electric	C50296A-12	6447 / 6448	PH5
<b>Automatic Generic</b> 24 VDC	3.5"	Auto / Manual	Electric	C50296A-24	6447 / 6448	PH5
<b>Manual Generic</b> 12 VDC	3.5"	Manual / Manual	Electric	C50296-12	6447 / 6448	PH5
<b>Manual Generic</b> 24 VDC	3.5"	Manual / Manual	Electric	C50296-24	6447 / 6448	PH5

<b>Universal 4.0"</b>						
<b>Any Commercial Truck</b>	4.0"	Manual / Manual	Electric	C50209	6274	PH2
<b>Any Commercial Truck</b> 24 VDC	4.0"	Manual / Manual	Electric	C50209-24	6274	PH2
<b>Any Commercial Truck</b>	4.0"	Auto / Manual	Electric	C50209A	6275	PH2
<b>Any Commercial Truck</b> 24 VDC	4.0"	Auto / Manual	Electric	C50209A-24	6275	PH2
<b>Automatic</b> Mag 3/4" w/ 5' Harness	4.0"	Auto / Auto or Manual	Electric	C60228A	6492 / 6493	PH3
<b>Automatic</b> Mag 3/4" w/ 10' Harness"	4.0"	Auto / Auto or Manual	Electric	C60228A-10	6492 / 6493	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper Up to & Including 2018 w/ Apex Connector <sup>†</sup> w/ 10' Harness	4.0"	Auto / Auto or Manual	Electric	C60228A-J10	6492 / 6493	PH3
<b>Automatic</b> Cummins Crank Position Wire T-Jumper 2018 + w/ MCON 1.2 Connector <sup>†</sup> w/ 10' Harness	4.0"	Auto / Auto or Manual	Electric	C60228A-2J10	6492 / 6493	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 5' Harness	4.0"	Auto / Auto or Manual	Electric	C60228A-R	6492 / 6493	PH3
<b>Automatic – R Terminal</b> R Terminal w/ 10' Harness	4.0"	Auto / Auto or Manual	Electric	C60228A-R10	6492 / 6493	PH3
<b>Manual</b> 5' Harness - 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T	6495	PH3
<b>Manual</b> 10' Harness - 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-10	6495	PH3
<b>Manual</b> 15' Harness - 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-15	6495	PH3
<b>Manual</b> 20' Harness - 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-20	6495	PH3
<b>Automatic Generic</b> 12 VDC	4.0"	Auto / Manual	Electric	C50297A-12	6447 / 6448	PH5
<b>Automatic Generic</b> 24 VDC	4.0"	Auto / Manual	Electric	C50297A-24	6447 / 6448	PH5
<b>Manual Generic</b> 12 VDC	4.0"	Manual / Manual	Electric	C50297-12	6447 / 6448	PH5
<b>Manual Generic</b> 24 VDC	4.0"	Manual / Manual	Electric	C50297-24	6447 / 6448	PH5



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTION	KIT #	MANUAL	PRODUCT CODE
<b>Universal 5.0"</b>						
Any Commercial Truck	5.0"	Auto / Manual	Electric	C50247A	6275	PH2
Any Commercial Truck 24 VDC	5.0"	Auto / Manual	Electric	C50247A-24	6275	PH2
Any Commercial Truck	5.0"	Manual / Manual	Electric	C50247	6274	PH2
Any Commercial Truck 24 VDC	5.0"	Manual / Manual	Electric	C50247-24	6274	PH2
Automatic Generic 12 VDC	5.0"	Auto / Manual	Electric	C50298A-12	6447 / 6448	PH5
Automatic Generic 24 VDC	5.0"	Auto / Manual	Electric	C50298A-24	6447 / 6448	PH5
Manual Generic 12 VDC	5.0"	Manual / Manual	Electric	C50298-12	6447 / 6448	PH5
Manual Generic 24 VDC	5.0"	Manual / Manual	Electric	C50298-24	6447 / 6448	PH5

**Custom CALL 800.663.0096 FOR INFO**

Any Commercial Truck	Generic	Manual / Manual	Pull Cable	Contact Pacbrake	6351	PH2
Any Commercial Truck	Generic	Manual / Manual	Pneumatic	Contact Pacbrake	6252	PH2

**Volvo/Mack**

Volvo / Mack Generic	3.5"	Auto / Manual	Pneumatic	C50285A	6438	PH2
Volvo / Mack Generic	3.5"	Auto / Auto or Manual	Electric	C60255A	6492 / 6493	PH3
Volvo / Mack Generic For use with R Terminal	3.5"	Auto / Auto or Manual	Electric	C60255A-R	6492 / 6493	PH3

**Detroit DD13 / DD15 / DD16 Engine**

Commercial Truck w/ Detroit DD13 / DD15 / DD16 Engine	4.0"	Manual / Manual	Electric	C50205	6290	PH2
Commercial Truck w/ Detroit DD13 / DD15 / DD16 Engine	4.0"	Auto / Manual	Electric	C50205A	6289	PH2
Commercial Truck w/ Detroit DD13 / DD15 / DD16 Engine	4.0"	Auto / Auto or Manual	Electric	C60223A	6492 / 6493	PH3
Commercial Truck w/ Detroit DD13 / DD15 / DD16 Engine	4.0"	Auto / Manual	Electric	C50303A-12	6447 / 6448	PH5
Commercial Truck w/ Detroit DD13 / DD15 / DD16 Engine	4.0"	Manual / Manual	Electric	C50303-12	6447 / 6448	PH5

**Kenworth T800 w/ ISX Diesel Engine**

Kenworth T800 w/ ISX Diesel Engine	4.0"	Manual / Manual	Electric	C50219	6311	PH2
Kenworth T800 w/ ISX Diesel Engine	4.0"	Auto / Manual	Electric	C50219A	6312	PH2

**MX13 Engine**

MX13 Engine Push-in type Mag	4.0"	Auto / Auto or Manual	Electric	C60242A	6492 / 6493	PH3
MX13 Engine Crank position sensor T Jumper	4.0"	Auto / Auto or Manual	Electric	C60242A-J	6492 / 6493	PH3





PRODUCT	VALVE SIZE	APPLICATION	PART #	MANUAL	PRODUCT CODE
<b>Accessories</b>					
Pull Cable 2 ft		Universal	C50018		PH1
Pull Cable 4 ft		Universal	C50022		PH1
Pull Cable 6 ft		Universal	C50026		PH1
Pull Cable 8 ft		Universal	C50030		PH1
Pull Cable 10 ft		Universal	C50035		PH1
Mounting Group	1.75"	Universal	C50117		PH1
Mounting Group	2.0"	Universal	C50118		PH1
Mounting Group	2.25"	Universal	C50119		PH1
Mounting Group	2.5"	Universal	C50116		PH1
Auxiliary Input Jumper Harness 12 VDC		Universal	C50159	L6396	PH3
Auxiliary Input Jumper Harness 24 VDC		Universal	C50159-24	L6396	PH3
Valve Position Switch (NORMALLY OPEN)			C50288	L6447	PH5
Valve Position Switch (NORMALLY CLOSED)			C50289	L6447	PH5

